


## Network Cabinet & Server Cabinet

### Overview

HJ Network Cabinet is intended for installation data and telecommunication devices and their distribution systems. 19" rack mountable, we also provide the internal device include cable manager, PDU, power distribution box, digital patch panel, etc.



### Features

Static Loading: 1000 KGS.  
2mm thick 19" rail and bottom caster tray. Patented duplex profile frame. Secure and strong. Easy to assemble. Easy for maintenance Scratch-proof & adjustable cable entry design. Anti-dust brush on the top cable entry. Adjustable feet and casters are available.

### Product Pictures



S/N	HJ-NCF
Certification	CE,ISO,RoHS,GS
Material	SPCC Cold Rolled Steel
Doors	Front door,Front and rear door Panel door,Mesh door,Glass door optional
Thickness	19"rails:2.0mm,Frame:1.5mm,Other:1.2mm,Tempered glass:5mm
Dimension	18-47U Width:600mm,800mm,etc Depth:600,800,900,1000,1200mm,etc Accept Customized size.
Loading Capacity	Static loading: 1000KGS
Mounting method	Floor mounted
IP Degree	IP20,IP30
Color	RAL9004,RAL7035,RAL1013,etc

# fill

IP16C5\*11Door



## Small Server Cabinet

### Features

Compatible with 19" standard equipment.  
Cable entry on the top and bottom.  
L-shaped mounting profile, adjustable mounting rails.

Easy to assemble. Easy for maintenance  
Fan cutout on the top, easy to install fan.  
Anti-dust brush on the top cable entry.

### Product Pictures



S/N	HJ-NCW
Certification	CE, ISO, RoHS, GS
Material	SPCC Cold Rolled Steel
Doors	Front door, Front and rear door Panel door, Mesh door, Glass door optional
Thickness	Panel thickness 1.2mm, Tempered glass: 5mm
Dimension	4-18U Width: 500mm, 600mm, etc Depth: 450, 600 Accept Customized size.
Loading Capacity	Static loading: 80KGS
Mounting method	Wall mounted, floor mounted
IP Degree	IP20, IP30
Color	RAL9004, RAL7035, RAL1013, etc

## Outdoor Cabinet

### Overview

HJ Network Outdoor Cabinet is widely used in roads, communication base station, seaside and other complex outdoor environment, we provide high quality, durable, anti-corrosion outdoor cabinet, we do OEM and accept customized product.



### Features

HJ Network outdoor cabinet suitable for a variety of outdoor environments.

Waterproof, Anti-corrosion .Durable

IP degree: IP55,IP65,IP66

Variety material option Galvanized sheet, Stainless Steel, Aluminum

Variety cooling options to choose, Fans, Air condition, Heat exchange

Floor mounting, wall mounting, pole mounting.

Accept customized product.

Provide inner equipment include various sensors, power distribution box, monitor, battery, etc.

## Field Pictures



### Description of Outdoor cabinets

S/N	HJ-OC
Certification	CE, ISO, RoHS, GS
Structure	Single layer, Double layer insulation structure
Cabins	Single cabin, double cabins, three cabins optional
Material	Galvanized sheet, 201/304/316 Stainless Steel, Aluminum
Doors	Front door, Front and rear door, Panel door, Glass door optional
Thickness	19" rails: 2.0mm, outer panel adopt 1.5mm, internal panel adopt 1.0mm. Other option according to customer.
Dimension	9U-45U Width: 600mm, 800mm, etc Depth: 600, 800, 1000, 1200mm, etc. Accept Customized size.
Cooling method	AC Fans, DC Fans, AC Air condition, DC Air condition, AG Heat-exchange, DC Heat-exchange.
Heating method	Heater, Heat-exchange, Air condition
Surface treatment	Painting, plasma electrostatic painting, hot galvanized, powder coating, polishing, brushing, etc.
Mounting method	Floor mounted, wall mounted, pole mounted
	Sensors: Door alarm, Temperature Sensor, Humidity Sensor, Water Sensor, Smoke alarm, etc. Cooling device: Fan, Air condition, Heat exchange. Others: Shelves, Monitor, PDU, Power supply, Lightning protection.
Optional Accessories	Breakers, Power distribution box, DDF, ODF, Battery, etc.
IP Degree	IP55, IP65, IP66
Color	RAL7035, RAL1013, etc.
Package	High quality carton box package. Export standard carton box+plywood pallet package, Export standard plywood box package.

## Floor Mounting Cabinet

Fan type



Air condition type



Heat exchange type



S/N	HJ-OCF
Structure	Single layer, Double layer insulation structure
Cabins	Single cabin, double cabins, three cabins optional
Material	Galvanized sheet, 201/304/316 Stainless Steel, Aluminum
Doors	Front door, Front and rear door
Dimension	9U-45U Width: 600mm, 800mm, etc Depth: 600, 800, 1000, 1200mm, etc
Cooling method	Fans, Air condition, Heat-exchange.
Optional Accessories	Sensors: Door alarm, Temperature/Humidity/Water Sensor, Smoke alarm, etc. Cooling device: Fan, Air condition, Heat exchange. Others: Shelves, Monitor, PDU, Power supply, Lightning protection, Breakers, Power distribution box, DDF, ODF, Battery, etc.
IP Degree	IP55, IP65, IP66
Color	RAL7035, RAL1013, etc
Package	High quality carton box package, Export standard carton box+plywood pallet package, Export standard plywood box package.

## Wall Mounting Cabinet



## Pole Mounting Cabinet



S/N	HJ-OCW & HJ-OCP
Structure	Single layer,Double layer insulation structure
Cabins	Single cabin,double cabins optional
Material	SPCC,Galvanized sheet,201/304/316 Stainless Steel,Aluminum
Doors	Front door,Front and rear door
Dimension	6U-20U,Width:450,500,550,600,700mm,etc.Depth:400,500,600,800mm,etc
Cooling method	Fans,DC200W TEC Air condition,heat exchange.
Optional Accessories	Sensors:Door alarm, Temperature/Humidity/Water Sensor,Smoke alarm,etc. Cooling device:Fan,Air condition,Heat exchange. Others:Shelves,Monitor,PDU,Power supply,Lightning protection, Breakers,Power distribution box,DDF,ODF,Battery,etc.
IP Degree	IP55,IP65,IP66
Color	RAL 7035, RAL1013 etc
Package	High quality carton box package, Export standard carton box+plywood pallet package, Export standard plywood box package.

## Mini Shelter

### Overview

HJ Network Mini Shelter is widely used in roads,communication base station, seaside and other complex outdoor environment,we provide high quality,durable,anti-corrosion Mini Shelter, we do OEM and accept customized product.

### Product Pictures



### Field Pictures

#### Product Pictures

