

Rel-Easy Duplex Fiber Patch Cord
Pigtail Simplex Fiber Patch Cord
Simplex Fiber Patch Cord

Fiber Mini Breakout Cable


MTP MPO Fiber Array Cable

Single Mode MTP MPO Trunk Harness


Single Mode MTP MPO to LC Trunk Cable

Rel-Easy Duplex Fiber Patch Cord





Pigtail Simplex Fiber Patch Cord



Pigtail Type

Only one end with a connector, the other end is open for fiber splice.

Fiber Compatibility

OS1 / OS2, OM1, OM2, OM3, OM4, OM5

Exceed Requirements

ANSI/TIA-568.3-D



Simplex Fiber Patch Cord



Simplex Type

1 or 2 fibers and terminated with connectors at both ends of each fiber

Fiber Compatibility

OS1 / OS2, OM1, OM2, OM3, OM4, OM5

Exceed Requirements

ANSI/TIA-568.3-D



Fiber Mini Breakout Cable





Space and Time-saving

Cable core is made of 12 fibers x 0.25mm and the outer cable OD is 3.0 mm.

Fiber Compatibility


OS1 / OS2, OM1, OM2, OM3, OM4, OM5

Fan-out Length

24 inch (121.92cm) at both ends

MTP MPO Fiber Array Cable





High- Density Solution

Complete line of MTP® & MPO multi fiber connectors for high-bandwidth wiring

Fiber Compatibility

OS1 / OS2, OM2, OM3, OM4, OM5

Quality Assurance

100% factory terminated and tested

Single Mode MTP MPO Trunk Harness





High- Density Solution

Complete line of MTP® & MPO multi fiber connectors for high-bandwidth wiring

Fiber Compatibility

OS1 / OS2, OM2, OM3, OM4, OM5

Fan-out Length

24 inch (60.96cm) at one end asymmetric cascade version, including pulling eyes.

Single Mode MTP MPO to LC Trunk Cable





High- Density Solution

Complete line of MTP® & MPO multi fiber connectors for high-bandwidth wiring

Fiber Compatibility

OS1 / OS2, OM1, OM2, OM3, OM4, OM5

Fan-out Length

24 inch (60.96cm) at one end asymmetric cascade version, including pulling eyes.





Annie Hsu
Overseas sales manager
Annie@crxconec.com



Ben YangSales Representative
Ben@crxconec.com

Achieve Excellence With Ease Explore more information now!



